
Version No.: 2023.06







Single Platform Sheet & Tube Laser Cutting Machine

www.hsglaser.com

Company Culture

Intelligent manufacturing changes future

🕞 VALUES

Customer-focused and employee-based

VISION

Become a respectable enterprise in the global metal forming equipment field

Company Profile



13 13 branches/subsidiaries/ sub-subsidiaries across the world



100+ Serve 100+cour

Serve 100+countries and regions



4 Manufacturing Bases in China






8000+Sets of Annual Output



GB 1500-6000W

Single Platform Sheet & Tube Laser Cutting Machine



Technical Parameters

Technical Parameters	G3015B
Power	1500W-6000W
Processing format (L*W)	3000mm*1500mm(9.84'*4.92')
X/Y-axis positioning accuracy	±0.03mm/m(±0.00118'')
X/Y-axis repositioning accuracy	±0.03mm(±0.00118'')
No-load speed	60m/min
Acceleration	0.5G

* Machine appearance, technical parameters, function description, data comparison shown in this page are from HSG in-house laboratory. All testing results and experimental data shall be subject to real machine.

Alpha A Control System

- This system is easy to be operated and rich in functions.
- Even green hands can cut high-quality samples.
- Monitor core components in real time.
- Millisecond-level follow-up response technology.
- Click to create processing report.
- Compatible with codes of international brands.

HSG _	Carlos Antonio		
1 HE 1		International Internation	• চন্ত
	and the second second	2001年1月1日 1月1日日日日日日 1月1日日日日日日日日	
1 1 1 1 1 A	. Geren	and an and a second second	
	and the second	10000000000000	·····································
	· Carry		12 12 14
10 A A A	And Designed in the local division of the lo		出 田 田 田
# (# (# (#)	22		2019年1月1
8.0 0 m			-




Double Fully-automatic Pneumatic Chucks

- One-key clamping and automatic centering.
- Pneumatic clamping with no looseness or slip.
- Concave support frame can prevent tube from sagging and deformation.
- Clamp both round, square tube and profiles like channel and angle steel.

Professional Nesting Software

• No matter sheet cutting or tube cutting, it is equipped with professional nesting software to optimize cutting track and improve efficiency.



►



Automatic Focus Cutting Head

- Autofocus Laser Cutting Head The cutting head can adjust its focus according to laser beam mode to make sure of mirror-like surface.
- Servo autofocus system
- Automatic cooling and obstacle avoidance
- Three built-in protective lens
- Anti-pollution design
- Give early warning if abnormal

Tube Splicing Technology

• The operating control offers 50+ kinds of tube splicing patterns, for convenience of subsequent welding, such as splicing of male and female head of square tube, 90° arc splicing, splicing of round tube tee, splicing of cut-through holes, 45° splicing of hexagon, splicing of angle iron and channel steel, etc.




	۰.	1000	Abrent	1.1	Rend	Minger.	10 million	10.	
		1000	ANTERNA		Rend	Manger	10mpts		
		3006	Alextrant		Rend	Manger	- Illinghi		the second state in the second
		1000	Alexiber		Manual	Manager .	ATHANK .		
		1000	showing.co.		News	Advert	10mph		1000
			ANDER		Normal	Arright.	100MBR		A 1997 (1997 (1997)
			Alexinate		Rend	*item	Alterates.		747 1911
					Hered	Mange-	1014484		
1		1000			Reind	Minger.	t/hight		And in case of the local division of
		3000			house	Allerge	Scherights -		and the second second
10			i Ann		Renal	Reingen	10mphb		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
10		3000	Carbon Scool		Harmal	Heager	10448		Carl and
10		2000	Carloss Line		Nexal	Organie	Inforder		
18		100	Callery Star		Normal	Orgine	constant.		
			Californi Marci		Heatman	- Ungine	104040		The second second second
1		2008	Carloss lines		Rend	Chaptere	10-ste		Company of the Party of the Par
		1000	Gallery Bert			(heppen)	- Official Art		
12		3006			Name	Owgen	1 división		Concession of the second secon
			a president a successi		Accession in which the second	-	- Destandant		and an address of

Massive Production Database

- Users can invoke cutting technology from the database when cutting sheet of different materials and thickness
- Have multiple thick sheet cutting technologies like air cutting, counterboring technology, perfect finish cut (PFC), lightening-fast piercing, etc

Machine Foundation *The marked size has about 10mm error



:::• Cutting Samples



Cutting Capacity

Material Thickness Laser Power 2mm 4mm 6mm 8mm 10mm 12mm 14mm 16mm 18mm 20mm 22mm 24mm 26mm Carbon Steel Stainless Steel Aluminum Brass 1500w 3000w 6000w

The actual machines shall prevail and above data & pictures are only for reference.

Intelligent Manufacturing Changes Future

As a global enterprise, HSG sticks to providing professional and convenient service support to customers at home and board

Professional Training

Multiple technical training service and free operation training for customers and dealers in time

Efficient Support

Humanistic service model, online services and 7*24 hotline to offer solutions and assistance

Optimized Transport

Multi-channel transport solutions and professional transport solution team will provide various transport cases for to satisfy the demand of customers and save transports fees

Sufficient Accessories

Highly efficient accessories delivery service, multiple network inventory jointly responds to accessories demand to shorten customer's waiting times and accelerate production

Careful Services

Domestic door-to-door service and free proofing, global 100+dealers provide efficient and convenient services



Intelligent Manufacturing Changes Future







Headquarters Add.: No. 4, Anye Road, Shunjiang Community Industrial Park, Beijiao Town, Shunde District, Foshan, Guangdong, China Website: www.hsglaser.com Email: info@hsglaser.com Tel:+86 757-66833906