




Cutting | Bending | Welding | Automation



TM

✦ Tiny Tube Laser Cutting Machine ✦

Company Culture



MISSION

Intelligent manufacturing changes future



VALUES

Customer-focused and employee-based



VISION

Become a respectable enterprise in the global metal forming equipment field

Company Profile



13

13 branches/subsidiaries/
sub-subsidiaries across the world



100+

Serve 100+countries and
regions




4

Manufacturing Bases in
China



30+

Global service outlets




8000+Sets
of Annual Output



96000m²

Occupied Area



TM 1500-3000W

Tiny Tube Laser Cutting Machine



Technical Parameters

Technical Parameter	TM65 II
Power	1500-3000W
Rotating Speed of Chucks	150r/min
No-load Speed	120m/min
Acceleration	1G
X/Y-axis Positioning Accuracy	$\pm 0.05\text{mm/m}$ ($\pm 0.001196''$)
X/Y-axis Repositioning Accuracy	$\pm 0.03\text{mm}$ ($\pm 0.00118''$)
*Tailing Length	$\geq 50\text{mm}$ (1.96")
Cutting Capacity	Round tube $\Phi 10 - \Phi 160$ (0.39"-6.29") Square tube $\square 10^*10 - 100^*100\text{mm}$ (0.39"-3.93") Length of each side: 10 - 100mm(0.39"-3.93")
Weight of Single Tube	50kg
Overall Dimensions(L*W*H) with Loading Racks	9300mm*3200mm*2600mm(30.51'*10.49'*8.53')


*Single chuck clamping can be achieved, in the case of reasonable nesting material.

* Machine appearance, technical parameters, function description, data comparison shown in this page are from HSG in-house laboratory.

All testing results and experimental data shall be subject to real machine.

High Speed and Intelligent for Better Processing

- High Speed and Precise
High-speed data transmission without time delay and strong positional energy control.
- High rotational Speed and Air Velocity
Bus system and servo motor reduce unproductive time.



X9000 Bus-based Tube Cutting Control System

- Simple Interface
Clear interface is convenient for users operating and shows cutting data in real time to save time and costs.
- Functional Integration Control
A number of core functions are showed centrally on the interface to reduce operating steps and users can easily learn to operate.

Born for Cutting Small Tube

- Fit for users who need to cut small and slim tube, such as, $\Phi 10\text{mm}$ round tube and $\text{£}10\text{mm}$ square tube.
- Laser energy precise controlling technology helps to protect small tube from burning marks.





Powerful Functions Make You Never Spend Time Worrying

- Component Real-time Monitoring and Maintenance Alert.
All components are detected in real time to ensure the stable use and the system is equipped with maintenance alert for careful component management

Tube Splicing Technology

- The operating control offers 50+ kinds of tube splicing patterns, for convenience of subsequent welding, such as splicing of male and female head of square tube, 90° arc splicing, splicing of round tube tee, splicing of cut-through holes, 45° splicing of hexagon, splicing of angle iron and channel steel, etc.




Leapfrog Technique and Flying Cutting Technique

- Peculiar tube cutting techniques make tube cutting more smooth and efficient.




Machine Foundation *The marked size has about 10mm error




Cutting Samples



Cutting Capacity



The actual machines shall prevail and above data & pictures are only for reference.



Intelligent Manufacturing Changes Future



As a global enterprise, HSG sticks to providing professional and convenient service support to customers at home and board



Professional Training

Multiple technical training service and free operation training for customers and dealers in time



Efficient Support

Humanistic service model, online services and 7*24 hotline to offer solutions and assistance



Optimized Transport

Multi-channel transport solutions and professional transport solution team will provide various transport cases for to satisfy the demand of customers and save transports fees



Sufficient Accessories

Highly efficient accessories delivery service, multiple network inventory jointly responds to accessories demand to shorten customer's waiting times and accelerate production



Careful Services

Domestic door-to-door service and free proofing, global 100+dealers provide efficient and convenient services



Intelligent Manufacturing Changes Future



Website



Facebook



Youtube

Headquarters Add.: No. 4, Anye Road, Shunjiang Community Industrial Park,
Beijiao Town, Shunde District, Foshan, Guangdong, China

Website: www.hsglaser.com

Email: info@hsglaser.com

Tel: +86 757-66833906